

SEAPRO



- CE
- ISO6185
- ISO9001
- PVC HYPALON

SEAPRO

2010

CONSOLE 驾驶台 (操纵)



Description	Length	Width	Height	for boat
货号	长	宽	高	适用船型
Seat	47cm	81cm	37cm	CD420RIB, CD520RIB



Description	Length	Width	Height	for boat
货号	长	宽	高	适用船型
Console E	86cm	58cm	95cm	CD420RIB, CD470RIB, CD520RIB



Description	Length	Width	Height	for boat
货号	长	宽	高	适用船型
Console H	100cm	84cm	144cm	CD610RIB, CD720RIB



Description	Length	Width	Height	for boat
货号	长	宽	高	适用船型
Console L	128cm	40cm	62cm	RIB: 290, 320, 360, 380, 420, 470, 520



Description	Length	Width	Height	for boat
货号	长	宽	高	适用船型
Console M	36cm	55cm	82cm	CD420RIB, CD470RIB, CD520RIB

Standard equipment (标准配置):

2pieces aluminium oars 2只铝合金桨
plywood bench seat 海洋级木制层压长条椅子
foot pump 脚踏充气筒
repairing kit 修理工具
boat cover 船罩

Optional equipment (选装配置):

under seat bag 椅子包
front bag 船头包
console L for RIB boat 290,320,360,380
L 操纵用于玻璃钢充气艇290, 320, 360, 380

RIB SERIES 玻璃钢充气艇




CD270RIB



CD270RIB+DOLLY



CD320RIB+CONSOLE L



CD380RIB



CD320RIB+CANOPY

Model	Length	Width	Max person	Air chamber	Max load	Max power	Shaft
货号	长	宽	定员	气室隔舱	载重	额定功率	艇板高度
CD240RIB	240cm	163cm	2	3	450kgs	3.7kw/5hp	38cm
CD270RIB	270cm	163cm	3+1	3	484kgs	7.5kw/10hp	38cm
CD290RIB	290cm	163cm	4	3	510kgs	7.5kw/10hp	38cm
CD320RIB	320cm	163cm	4+1	3	588kgs	11.2kw/15hp	38cm
CD360RIB	360cm	169cm	5+1	3	689kgs	14.9kw/20hp	38cm
CD380RIB	380cm	169cm	6	3	727kgs	14.9kw/20hp	38cm

C FOR CANIBAL,D FOR ITALIAN DESIGN,RIB FOR FRP HULL





CD520RIB+CANOPY,STEERING WHEEL WITH CABLE,CONSOLE E,SEAT,NAVIGATION LIGHT,TRAILER



Standard equipment (标准配置):

- bow locker with removable cushion 船头锁柜可移动沙发
- 2pieces aluminium oars 2只铝合金桨
- foot pump 脚踏充气筒
- repairing kit 修理工具
- boat cover 船罩
- PVC anchor roll PVC锚座

Optional console 选装操纵:

- console L, console E
- L操纵, E操纵



CD470RIB+CONSOLE E

Model	Length	Width	Max person	Air chamber	Max load	Max power	Shaft
货号	长	宽	定员	气空隔舱	载重	额定功率	艉板高度
CD420RIB	420cm	202cm	6	4	674kgs	37.3kw/50hp	52cm
CD470RIB	470cm	202cm	8	4	994kgs	37.3kw/50hp	52cm
CD520RIB	520cm	224cm	11	5	1144kgs	74.6kw/100hp	52cm

C FOR CANIBAL,D FOR ITALIAN DESIGN,RIB FOR FRP HULL



RIB420C

Standard equipment (标准配置):

fixed right side console with front cushion 右侧固定操纵+前部沙发
 rear seat locker with cushion 尾部锁柜沙发
 foot pump 脚踏充气筒
 boat cover 船罩
 bow locker with cushion 船头锁柜沙发
 2pieces aluminium oars 2只铝合金桨
 repairing kit 修理工具
 PVC anchor roll PVC锚座


Model	Length	Width	Max person	Air chamber	Max load	Max power	Shaft
货号	长	宽	定员	气室隔舱	载重	额定功率	舵板高度
RIB420C	420cm	202cm	6	4	674kgs	37.3kw/50hp	52cm

Standard equipment (标准配置):

fixed right side console with front cushion 右侧固定操纵+前部沙发
 bow locker with removable cushion 船头锁柜可移动沙发
 rear seat locker with removable cushion 尾部锁柜可移动沙发
 2pieces aluminium oars 2只铝合金桨
 foot pump 脚踏充气筒
 repairing kit 修理工具
 boat cover 船罩
 100L oil tank 100升油箱 roll bar 侧翼, wema gauge 油表
 waterski 滑水柱
 PVC anchor roll PVC锚座

Model	Length	Width	Max person	Air chamber	Max load	Max power	Shaft
货号	长	宽	定员	气室隔舱	载重	额定功率	舵板高度
CD560RIB	560cm	236cm	14	5	1424kgs	90kw/120hp	53cm

C FOR CANIBAL,D FOR ITALIAN DESIGN,RIB FOR FRP HULL



CD560RIB



CD610RIB / CD720RIB



WEIHAI SEARPRO CO., LTD

Standard equipment (标准配置):

- | | |
|---------------------------------------|--|
| console H with front cushion H操纵+前部沙发 | bow locker with removable cushion船头锁柜可移动沙发 |
| rear seat locker with cushion尾部锁柜沙发 | 2pieces aluminium oars2只铝合金桨 |
| foot pump脚踏充气筒 | repairing kit修理工具 |
| boat cover船罩 | 100L oil tank 100升油箱 |
| roll bar舷翼 | wema gauge油表 |
| PVC anchor roll PVC锚座 | |

Model	Length	Width	Max person	Air chamber	Max load	Max power	Shaft
货号	长	宽	定员	气室隔舱	载重	额定功率	艉板高度
CD610RIB	610cm	257cm	14	5	1417kgs	112kw/150hp	54cm
CD720RIB	720cm	257cm	18	5	1777kgs	130kw/175hp	54cm

C FOR CANIBAL,D FOR ITALIAN DESIGN,RIB FOR FRP HULL

CO SERIES



CD160 PLYWOOD



CD270 ALUMINIUM



CD290 PLYWOOD



CD320 ALUMINIUM+BOW TENT



CD380 ALUMINIUM

Standard equipment (标准配置):

2pieces aluminium oars 2只双节铝合金桨
marine grade plywood bench seat (one piece) 1个海洋级木制层压长条椅子
foot pump 脚踏充气筒
repairing kit 修理工具
carrying bag 船包

Optional equipment (选装配置):

inflatable thwart 充气枕头
under seat bag 椅子包
front bag 船头包
boat cover 船罩
extra seat 附加椅子

optional floor (选装甲板):

plywood floor 海洋级木制层压甲板
aluminium floor 铝合金甲板
air mat floor, up to 4.70m boats
空气柔丝甲板, 直到4.70米长的充气艇
VIB floor, up to 3.60m boats
VIB形状空气柔丝甲板, 直到3.60米长的充气艇
slatted floor, up to 4.20m boats
条形甲板, 直到4.20米长的充气艇

Model 货号	Length 长	Width 宽	Max person 定员	Air chamber 气室隔舱	Max load 载重	Max power 额定功率
CD160	160cm	134cm	1	2+1 keel	146kgs	1.49kw/2hp
CD180	180cm	134cm	1	2+1 keel	173kgs	1.49kw/2hp
CD200	200cm	134cm	2	2+1 keel	250kgs	2.5kw/3.5hp
CD230	230cm	134cm	2	3+1 keel	350kgs	2.98kw/4hp
CD250	250cm	151cm	3	3+1 keel	450kgs	4.4kw/6hp
CD270	270cm	151cm	3+1	3+1 keel	484kgs	7.5kw/10hp
CD290	290cm	151cm	4	3+1 keel	510kgs	7.5kw/10hp
CD320	320cm	151cm	4+1	3+1 keel	566kgs	11.2kw/15hp
CD360	360cm	170cm	5+1	3+1 keel	689kgs	14.9kw/20hp
CD380	380cm	170cm	6	3+1 keel	727kgs	14.9kw/20hp
CD420	420cm	190cm	7	3+1 keel	1087kgs	22kw/30hp
CD470	470cm	190cm	8	4+1 keel	1100kgs	30kw/40hp
CD520	520cm	210cm	10	5+1 keel	1144kgs	37.3kw/50hp
CD580	560cm	210cm	10	5+1 keel	1400kgs	52kw/70hp
CD610	610cm	210cm	12	5+1 keel	1400kgs	52kw/70hp
CD720	720cm	210cm	15	5+1 keel	1700kgs	52kw/70hp

C FOR CANIBAL, D FOR ITALIAN DESIGN



CM SERIES



CM236KIB



CM230KIB



CM290 SLATTED WITH CANOPY



CM320KIB

Model 货号	Length 长	Width 宽	Max person 定员	Air chamber 气室隔舱	Max load 载重	Max power 额定功率
CM200	200cm	131cm	2	2+1 keel	250kgs	2.5kw/3.5hp
CM230	230cm	131cm	2	3+1 keel	350kgs	2.98kw/4hp
CM250	250cm	151cm	3	3+1 keel	450kgs	4.4kw/6hp
CM270	270cm	151cm	3+1	3+1 keel	484kgs	7.5kw/10hp
CM290	290cm	151cm	4	3+1 keel	510kgs	7.5kw/10hp
CM320	320cm	151cm	4+1	3+1 keel	566kgs	11.2kw/15hp
CM360	360cm	170cm	5+1	3+1 keel	689kgs	14.9kw/20hp
CM380	380cm	170cm	6	3+1 keel	727kgs	14.9kw/20hp
CM420	420cm	190cm	7	3+1 keel	1087kgs	22kw/30hp
CM470	470cm	190cm	8	4+1 keel	1100kgs	30kw/40hp
CM520	520cm	210cm	10	5+1 keel	1144kgs	37.3kw/50hp
CM560	560cm	210cm	10	5+1 keel	1400kgs	52kw/70hp
CM610	610cm	210cm	12	5+1 keel	1400kgs	52kw/70hp
CM720	720cm	210cm	15	5+1 keel	1700kgs	52kw/70hp

C FOR CANIBAL, M FOR SQUARE NOSE

Standard equipment (标准配置):

2pieces aluminium oars 2只双节铝合金桨
marine grade plywood bench seat one piece 1个海洋级木制层压长条椅子
foot pump 脚踏充气筒
repairing kit 修理工具
carrying bag 船包

Optional equipment (选装配置):

inflatable thwart 充气枕头
under seat bag 椅子包
front bag 船头包
boat cover 船罩
extra seat 附加椅子

optional floor (选装甲板):

plywood floor 海洋级木制层压甲板
aluminium floor 铝合金甲板
air mat floor, up to 4.70m boats 空气柔丝甲板, 直到4.70米长的充气艇
VIB floor, up to 3.60m boats VIB形状空气柔丝甲板, 直到3.60米长的充气艇
slatted floor, up to 4.20m boats 条形甲板, 直到4.20米长的充气艇

CA SERIES



CA360 PLYWOOD

Standard equipment (标准配置):

2pieces aluminium oars 2只双节铝合金桨
marine grade plywood bench seat(one piece) 1个海洋级木制层压长条椅子
foot pump 脚踏充气筒
repairing kit 修理工具
carrying bag 船包

Optional equipment (选装甲板):

plywood floor 海洋级木制层压甲板
aluminium floor 铝合金甲板
air mat floor, up to 4.70m boats 空气柔丝甲板, 直到4.70米长的充气艇
VIB floor, up to 3.60m boats VIB形状空气柔丝甲板, 直到3.60米长的充气艇
slatted floor, up to 4.20m boats 条形甲板, 直到4.20米长的充气艇

Optional equipment (选装配置):

inflatable thwart 充气枕头
under seat bag 椅子包
front bag 船头包
boat cover 船罩
extra seat 附加椅子

SEAPRO
WEIHAI SEAPRO CO., LTD

安装甲板

ASSEMBLY FLOOR



Model	Length	Width	Max person	Air chamber	Max load	Max power
货号	长	宽	定员	气室隔舱	载重	额定功率
CA270	270cm	151cm	3	3+1 keel	484kgs	7.5kw/10hp
CA290	290cm	151cm	3+1	3+1 keel	510kgs	7.5kw/10hp
CA320	320cm	151cm	4	3+1 keel	566kgs	11.2kw/15hp
CA360	360cm	175cm	5	3+1 keel	689kgs	14.9kw/20hp
CA380	380cm	175cm	5+1	3+1 keel	727kgs	14.9kw/20hp
CA420	420cm	195cm	6	3+1 keel	1087kgs	22kw/30hp
CA470	470cm	195cm	7	4+1 keel	1100kgs	30kw/40hp
CA520	520cm	210cm	10	5+1 keel	1144kgs	37.3kw/50hp
CA560	560cm	210cm	10	5+1 keel	1400kgs	52kw/70hp
CA610	610cm	210cm	12	5+1 keel	1400kgs	52kw/70hp
CA720	720cm	210cm	15	5+1 keel	1700kgs	52kw/70hp

C FOR CANIBAL, A FOR SHARP NOSE

SEAPRO

SE SERIES




Standard equipment (标准配置):

2pieces aluminium oars 2只双节铝合金桨
 marine grade plywood bench seat(one piece) 1个海洋级木制层压长条椅子
 foot pump 脚踏充气筒
 repairing kit 修理工具
 carrying bag 船包

Optional equipment (选装配置):

inflatable thwart 充气枕头
 under seat bag 椅子包
 front bag 船头包
 boat cover 船罩
 extra seat 附加椅子



Model	Length	Width	Max person	Air chamber	Max load	Max power
货号	长	宽	定员	气室隔舱	载重	额定功率
SE320	320cm	166cm	4+1	3+1keel	566kgs	11.2kw/15hp
SE380	380cm	174cm	6	3+1keel	727kgs	14.9kw/20hp
SE560	560cm	220cm	11	5+1keel	1400kgs	52kw/70hp

CANIBAL

MF SERIES



MF350



MF350LUX



Standard equipment (标准配置):

2pieces aluminium oars 2只双节铝合金桨
 marine grade plywood bench seat(one piece) 1个海洋级木制层压长条椅子
 foot pump 脚踏充气筒
 repairing kit 修理工具
 carrying bag 船包

Optional equipment (选装配置):

under seat bag 椅子包
 boat cover 船罩
 extra seat 附加椅子

Model	Length	Width	Max person	Air chamber	Max load	Max power
货号	长	宽	定员	气室隔舱	载重	额定功率
MF345	345cm	179cm	5	5+1 keel	600kgs	14.9kw/20hp
MF345LUX	345cm	177cm	5	8	600kgs	14.9kw/20hp

RACING BOAT 高速艇



RACING410




RACING430

Standard equipment (标准配置):

foot pump 脚踩充气筒

repairing kit 修理工具

Model 货号	Length 长	Front width 前宽	Back width 后宽	Tube 管筒直径	Air chamber 气室隔舱	Max person 定员	Max power 额定功率
RACING380	380cm	180cm	176cm	45cm	4+2	2	26kw/35hp
RACING410	410cm	190cm	186cm	50cm	4+2	3	30kw/40hp
RACING430	430cm	190cm	186cm	50cm	4+2	4	37kw/50hp
RACING450	450cm	190cm	186cm	50cm	4+2	5	52kw/70hp
RACING480	480cm	190cm	186cm	52cm	4+2	6	60kw/80hp



RACING380

CANIBAL

KB SERIES



KB365



KB430

Model	Length	Width	Tube	Max person	Air Chamber	Max load	Max power
货号	长	宽	浮筒直径	定员	气室隔舱	载重	额定功率
KB290	290cm	105cm	33cm	1	2+1	130kgs	1.5kw/2hp
KB365	365cm	105cm	33cm	2+1	2+1	220kgs	1.87kw/2.5hp
KB430	430cm	105cm	33cm	3	2+1	340kgs	5.96kw/8hp
KB470	470cm	105cm	33cm	3+1	2+1	408kgs	7.5kw/10hp

Standard equipment (标准配置):

aluminium oars 铝合金桨
 bench seat 长条椅子
 pump 充气筒
 repairing kit 修理工具
 carrying bag 船包

Optional equipment (选装配置):

boat cover 船罩



KB290



KAYAK



CK360



RK290

CANIBAL

Model	Length	Width	Tube	Max person	Air Chamber
货号	长	宽	浮筒直径	定员	气室隔舱
CK290	290cm	101.5cm	30.5cm	1	2+1+1
CK360	360cm	101.5cm	30.5cm	2	2+1+2
RK290	290cm	99cm	30cm	1	2+1+1
RK375	375cm	99cm	30cm	2	2+1+2

C FOR CANIBAL, K FOR KAYAK, R FOR ROUND SHOULDER KAYAK

Standard equipment (标准配置):

kayak paddle 双头铝合金桨
 foot pump脚踏充气筒
 repairing kit修理工具
 carrying bag船包

Standard features(标准特征):

Main tube fabric浮筒材料:1000denier/0.9mm PVC
 Bottom floor fabric甲板材料:4,000denier/1.8mm PVC
 Floor type甲板种类:I-Beam floor(IB)
 Pressure release valve equipped(Drop stitch floor(DS) is not equipped)自动减压阀门
 Thwart type枕头种类:Glue-in 固定枕头

Optional items(选装配置):

Quick-E thwart 可拆卸枕头
 Side added wear patch环绕加强层
 Bottom star track船底防撞罗宾

optional floor (选装甲板):

Standard floor(ST)
 I-Beam floor(IB)
 Air bladder floor(AB)
 Drop stitch floor(DS)

DROP STITCH FABRIC KAYAK



DROP STITCH FABRIC KAYAK

Model	Length	Width	Max person	Air Chamber	Max load
货号	长	宽	定员	气室舱数	载重
PLAY8	244cm	77cm	1	2	102kgs
PLAY9	275cm	77cm	1	2	113kgs
SPORT10	305cm	77cm	1	2	113kgs
SPORT11	335cm	77cm	1	2	113kgs

Standard equipment (标准配置):

kayak paddle 双头铝合金桨
hand pump 手动充气筒
repairing kit 修理工具
carrying backpack 背包

Standard features(标准特征):

Main tube fabric 浮筒材料:200mm thickness Drop stitch fabric 200mm 厚空气柔丝甲板
floor fabric 甲板材料:100mm thickness Drop stitch fabric 100mm 厚空气柔丝甲板
Stainless steel D-rings 不锈钢D形环
Drain valves 泄水阀门



RAFT 漂流艇



R FOR RIVER BOATS

Model 货号	Length 长	Width 宽	Tube 浮筒直径	Max person 定员	Air chamber 气室隔舱
330R	330cm	161cm	41cm	4	4+1+2thwart
345R	345cm	170cm	41cm	4	4+1+2thwart
360R	360cm	187cm	48cm	6	4+1+2thwart
380R	380cm	186cm	48cm	6	4+1+2thwart
390R	390cm	186cm	48cm	8	4+1+2thwart
420R	420cm	210cm	50cm	10	4+1+3thwart
430R	430cm	210cm	50cm	10	4+1+3thwart
450R	450cm	210cm	50cm	12	4+1+3thwart
470R	470cm	210cm	50cm	13	4+1+4thwart
500R	500cm	210cm	50cm	14	4+1+4thwart
550R	550cm	210cm	50cm	14	4+1+4thwart

Standard equipment (标准配置):

- pump 充气筒
- repairing kit 修理工具
- carrying bag 船包

Optional items (选装配置):

- Quick-E thwart 可拆卸枕头
- Side added wear patch 环绕加强层
- Bottom star track 船底防撞罗宾


Optional floor (选装甲板):

- Standard floor (ST)
- I-Beam floor (IB)
- Air bladder floor (AB)
- Drop stitch floor (DS)

Standard features (标准特征):

- Main tube fabric 浮筒材料: 1000denier/0.9mm PVC
- Bottom floor fabric 甲板材料: 4,000denier/1.8mm PVC
- Floor type 甲板种类: I-Beam floor (IB)
- Pressure release valve equipped (Drop stitch floor (DS) is not equipped) 自动减压阀门
- Thwart type 枕头种类: Glue-in 固定枕头
- Soft handles 软把手
- Stainless steel D-rings for rope 救生绳用不锈钢D形环

FISHING BOAT 钓鱼艇



CBO SERIES(DINGHY WITH MOTOR BRACKET)

Model	Length	Width	Max person	Air chamber	Max load	Max power
货号	长	宽	定员	气室隔舱	载重	额定功率
CBO200	200cm	130cm	1+1	2	250kgs	2.6kw/3.5hp
CBO235	235cm	130cm	2	2	350kgs	3.7kw/5hp
CBO270	270cm	130cm	3+1	2	484kgs	7.5kw/10hp
CBO290	290cm	130cm	4	2	510kgs	7.5kw/10hp
CBO320	320cm	148cm	4+1	2	566kgs	7.5kw/10hp

CFO SERIES(FISHING BOAT)

Model	Length	Width	Max person	Air chamber	Max load
货号	长	宽	定员	气室隔舱	载重
CFO180	180cm	119cm	1	2	200kgs
CFO200	200cm	119cm	2	2	250kgs
CFO270	270cm	121cm	3+1	2	484kgs
CFO290	290cm	121cm	4	2	510kgs
CFO320	320cm	148cm	4+1	2	566kgs

C FOR CANIBAL,B FOR DINGHY WITH MOTOR BRACKET,O FOR ROUND SHAPE

C FOR CANIBAL,F FOR FISHING BOAT WITHOUT MOTOR BRACKET,O FOR ROUND SHAPE

Standard equipment (标准配置):

2pieces aluminium oars 2只双节铝合金桨
 marine grade plywood bench seat 海洋级木制层压长条椅子
 pump 充气筒
 repairing kit 修理工具
 carrying bag 船包

Optional equipment (选装配置):

inflatable thwart 充气枕头
 under seat bag 椅子包

optional floor (选装甲板):

air mat floor 空气柔丝甲板
 slatted floor 条形甲板



CFU120



CFO118



CFH145

SEAPRO
WEIHAI SEAPRO CO.,LTD

INDIVIDUAL FISHING BOAT

Model	Length	Width	Max person	Air chamber	Weight
货号	长	宽	定员	气室隔舱	重量
CFU120	120cm	103cm	1	2+2	6.5kgs
CFO118	118cm	96cm	1	2+2	8kgs
CFH145	145cm	115cm	1	2+1	9kgs

Standard equipment (标准配置):

- pump 充气筒
- repairing kit 修理工具
- carrying bag 船包

optional floor (选装甲板):

- air mat floor 空气柔丝甲板

C FOR CANIBAL,F FOR FISHING BOAT WITHOUT MOTOR BRACKET,U FOR U-SHAPE,O FOR ROUND SHAPE, H FOR H SHAPE

WATER SLED 香蕉艇 (BANANA)



CWS5



SHACKLE D-RING

日形环

800NWD

1000NWD



CDWS10

SEAPRO

WEIHAI SEAPRO CO.,LTD

CW SERIES(WATER SLED)

Model	Length	Width	Tube	Max person	Air chamber
货号	长	宽	浮筒直径	定员	气室隔舱
CWS3	365cm	118cm	33/52/33	3	3
CWS4	400cm	118cm	33/52/33	4	3
CWS5	495cm	118cm	33/52/33	5	3
CWS6	560cm	118cm	33/52/33	6	3
CWS7	625cm	118cm	33/52/33	7	3
CWS8	700cm	118cm	33/52/33	8	3
CDWS6	392cm	229cm	33/65/33/65/33	6	5
CDWS8	467cm	229cm	33/65/33/65/33	8	5
CDWS10	520cm	229cm	33/65/33/65/33	10	5

Standard equipment (标准配置):

pump 充气筒
repairing kit 修理工具

Standard features(标准特征):

Main tube fabric 浮筒材料:1000denier/0.9mm PVC
Side rubbing strake on the side tube 浮筒侧面防撞护胶
Reinforced shackle D-rings 增强日形环
Soft handles 软把手

C FOR CANIBAL,WS FOR SINGLE WATER SLED,DWS FOR DOUBLE WATER SLED

800NWD	455cm	203cm	33/52/33/52/33	8	5
1000NWD	555cm	203cm	33/52/33/52/33	10	5

SEAPRO



RIVER BUG

155x86cm tube:29cm 10kgs
Standard equipment (标准配置):
pump充气筒
repairing kit修理工具
carrying bag包



PB300

300x100cm tube:30cm 11kgs
Standard equipment (标准配置):
paddle 铝合金桨
pump充气筒
repairing kit修理工具
carrying bag包

WEIHAI SEAPRO CO.,LTD



RESCUE SLED

RESCUE SLED 平底橇 (救生板)
193x99x10cm 10kgs
STANDARD EQUIPMENT(标准配置):
PUMP (气筒)
REAIRING KIT(修理工具)



AQUAMAT FOR AQUASCOOTER

机用水上充气垫
size:107x76cm

SURF PADDLE BOARD 充气冲浪板



Model	Length	Width	Max person	Air chamber
货号	长	宽	定员	气室隔舱
SUP8'	243cm	74cm	1	1
SUP9'	274cm	74cm	1	1
SUP9.5'	290cm	74cm	1	1
SUP10	304cm	74cm	1	1
SUP11	330cm	74cm	1	1
SUP12	365cm	74cm	1	1

INFLATABLE STAND UP PADDLE BOARD

Standard equipment (标准配置):

- hand pump 手动充气筒
- repairing kit 修理工具
- backpack 背包



INFLATABLE FENDERS, WATER BLADDER SIZE AS PER CUSTOMER SIZE



FENDER
充气防撞球



WATER BLADDER
水囊

Standard features(标准特征):
Main tube fabric浮筒材料:1000denier/0.9mm PVC
Standard equipment (标准配置):
carrying bag帐篷包
pump充气筒
repairing kit修理工具

Standard Features(标准特征):
Main tube fabric浮筒材料:1000denier/0.9mm PVC
Standard equipment (标准配置):
repairing kit修理工具

INFLATABLE TENTS SIZE AS PER CUSTOMER SIZE

充气帐篷



CLEAR BLUE HAWAII WORLDWIDE PARTNER



Model	Length	Width	Max person	Air chamber	Max load	Max power
货号	长	宽	定员	气室隔舱	载重	额定功率
CBH58021	250cm	151cm	3	3+1	450kgs	4.4kw/6hp
CBH58026	345cm	179cm	5	5+1	600kgs	14.9kw/20hp
CBH58036B	420cm	94cm	2	2+3		
CBH58068	470cm	105cm	3	2+4	408kgs	7.5kw/10hp
CBH58069	420cm	94cm	2	2+3	340kgs	5.96kw/8hp
CBH58070	330cm	330cm	1	1	113kgs	

ABOUT FLOOR 甲板介绍



AIR MAT FLOOR 空气柔丝甲板

The airmat floor is cleverly designed with thousands of polyester threads criss-crossing one another, it is inflated to a high pressure, proving as tough and rigid as a conventional wooden floor boat but with the added light and comfortable. Its small size allows it to be easily transported and stowed in tight space



ALUMINIUM FLOOR 铝合金甲板

The aluminum floor is easy to maintain with its exceptional resistance to all types of impact. This is the favorite type of floor for divers and fans of high-performance boats and also it can be fitted in a completely disassembled for quick and easy maintenance.



PLYWOOD FLOOR 海洋级木制层压甲板

Economical & simple to use. It is plywood board system, makes it the ideal choice for day tripping and fishing activities alike. Its aluminum frame is strong and durable for years of dependable service.



VIB FLOOR VIB形状空气柔丝甲板

On the basis of air mat floor, it designed from airmat directly into a V-keel with more comfortable and lighter for people. It is the best choice for family leisure.




SLATTED FLOOR 条形甲板

Allows assembly without extracting the flooring from the boat, or those who need compactness and portability. It is small, light and easy assemble.


**AB FLOOR, DS FLOOR, IB FLOOR,
ST FLOOR FOR KAYAK, RAFT**



Floor Construction(AB)



Floor Construction(DS)



Floor Construction(IB)



Floor Construction(ST)



IB FLOOR STRUCTURE IB甲板工字条



ACCESSORY 配件



canopy 遮阳篷



inflatable canopy 充气遮阳篷



bow tent 船头充气帐篷



front bag 船头包



seat bag 椅子包



cover 船罩



carrying bag 船包



inflatable thwart-round 圆形枕头



oar 桨



pressure gauge 气压表



foot pump 脚踏充气筒



hand pump 手动充气筒



electric pump 电动充气筒



trolling motor 电动推进器



repairing kit 修理工具



oar holder 桨架



oar lock 桨锁



cone 昆头



rubbing strake 防撞护舷



transom holder 船尾固定耳朵



slide-in seat hook 滑动椅子钩



seat hook 椅子座钩



motor pad inside 马达底板



motor pad outside 马达衬板

CANIBAL



handle把手



rod holder 鱼竿座



anchor锚座



D-ring D形环



shackle D-ring日形环



U BOLT U形栓



cleat羊角把手



bruce anchor布鲁斯锚



folding anchor折叠锚



seat board椅子板



motor bracket马达支架



valve充气阀



tube safety valve
浮筒减压阀



floor safety valve
充气甲板减压阀



drain plug set排水阀门



hexagon drain plug set
六角排水阀门



telescopic plug set
抽拉式排水阀门



dollys沙滩轮



dock line入坞绳



anchor line锚绳



waterski line with handle
滑水绳



helmet漂流头盔




life line 救生绳



ce plate 铭牌






PVC FABRIC FROM HEYTEX, GERMANY or KOREA
 HYPALON FROM ORCA, FRANCE or Achilles, JAPAN



DROP STITCH FABRIC 空气柔丝气垫料



WE MAKE BOAT WITH CAD DRAWING FIRST.

请记住，救生衣会浮于水面，而您却不会

ALWAYS WEAR A LIFE VEST APPROVED BY PROPER AUTHORITIES(SUCH AS COAST GUARD)



WEIHAI SEAPRO CORPORATION LIMITED

威海海博隆游艇有限公司

Address: 208, zoutai nanjie, rongcheng, weihai, shandong, China

地址：山东威海荣成市邹泰南街208号

ZIP: 264300

TEL: 0086-631-7580622 FAX: 0086-631-7580633

Http://www.sinoboat.net

E-mail: magnet@public.zbptt.sd.cn; bestband1@163169.net

MSN: bestbandboat@hotmail.com; Skype: bestband1@163169.net

Prices and specifications may change without notice.

All specifications and dimentions have +/-5% tolerance.